



Charging Trucks

Customized solutions for horizontal or vertical charging adapted for charging equipment from various suppliers.

i

Examples of supplied products

Jama CTH



Carrier: Volvo FMX 4x4

- Charging system: Multi (Orica, Forcit, EPC)
- Platform for charging module
- Hydraulic reels for charging from the cage or ground level
- Telescopic foldable boom system with automatic levelling function
- Stainless cage built from open profiles
- The crane can be manoeuvred during electric or diesel powered operation
- Stainless boxes with antistatic polyurethane inserts
- Hydraulic jacks legs in the rear end with automatic function for horizontal adjustment
- Cable guide system on the cabin roof



Examples of supplied products



Carrier: Volvo FMX

with double charging lines4,0m3 matrix tank

Charging system Kimit

- Hydraulic reels for charging from the cage or ground level
- Telescopic foldable boom system with automatic levelling function
- Stainless cage built from open profiles
- The crane can be manoeuvred during electric or diesel powered operation
- Stainless boxes with antistatic polyurethane inserts
- Hydraulic jacks legs in the rear end with automatic function for horizontal adjustment
- Cable guide system on the cabin roof

- Charging system Kimit with double charging lines
- 4,0m3 matrix tank
- Hydraulic reels for charging from the cage or ground level
- Telescopic foldable boom system with automatic levelling function
- Stainless cage built from open profiles
- The crane can be manoeuvred during electric or diesel powered operation
- Stainless boxes with antistatic polyurethane inserts
- Hydraulic jacks legs in the rear end with automatic function for horizontal adjustment
- Hydraulically extendable cable guide system on the cabin roof
- Hydraulic winch at the rear end for lifting the pump



Carrier: Scania P93

Examples of supplied products Jama CTV



Carrier: Scania P450 CB 8x4 EHZ

- Charging system Kimit
- Aluminium tank with dual compartments 10,8m3 (Matrix), 6,5m3 (Prills)
- 800L Water tank (aluminium)
- 300L stainless GW-tank
- Hydraulic reel for PEX hose (dim 40*5)
- Crane HIAB 099E-4 CLX , reach 11,6m with hose feeder Jama TFU40
- Radio control IRC
- ADR classified
- Registered for driving on public roads

We reserve the right to make changes as the product is under continuous development. Products must be used in conformity with safe practice, the manufacturers instructions, laws and regulations concerning occupational safety and other recommendations.

Rev:2017-03-08



JAMA Mining Machines AB | Sparrvägen 1 | 932 33 Skelleftehamn | +46 910 71 36 50 | www.jama.se